

Table 1. Relative abundance of mite species on marjoram plants during the period from Jan. 2003 to Dec. 2003 in Fayoum

Months	Phytophagous			Predaceous					
	<i>T. urticae</i>	<i>E. orientalis</i>	<i>B. obovatus</i>	<i>E. scutalis</i>	<i>A. cydnodactylon</i>	<i>A. longispinosus</i>	<i>H. bakeri</i>	<i>S. bifurcate</i>	<i>A. exsertus</i>
January	10								
February	9								
March	41				2				
April	33			3	7	2			
May	99				3			2	
June	7		3	2	5			6	
July	8				7		1		
August	9			1		2			
September	92				2		2		
October	12			4	12	2	10	7	
November	9	3			6		8	10	2
December	21				4	2	22		2

Table 3. Relative abundance of mite species on chamomile plants during two growing seasons 2003 and 2004 in Fayoum

Months	Phytophagous			Predaceous			Other feeding habits						
	<i>Tetranychus urticae</i>	<i>Pylaeothrips</i>	<i>Brevipalpus</i>	<i>Acarus</i>	<i>Tetranychus</i>	<i>Eutetranychus</i>	<i>Tetranychus</i>	<i>Pseudoscorpion</i>	<i>Pseudoscorpion</i>	<i>Pseudoscorpion</i>	<i>Pseudoscorpion</i>	<i>Pseudoscorpion</i>	<i>Pseudoscorpion</i>
2003													
January			1				19	3		2	2	19	
February	4	5		2		4	6		11			16	
March	7		3	4	4	2	10	9		3		1	26
April	86			5	12	2	19	5	2	9		37	11
May	11												
2004													
January	2				1		1		2	1		2	1

February	5	2		15	15	15		4	
March	5		2	6	8		2	3	1
April	18			9	9	2			1
May	112					9			